



**ADVANCED DRAINAGE SYSTEMS, INC.**

1 William Donnelly Industrial Parkway  
Waverly, NY 14892  
USA

**BNQ 3624-120/2016-04-26**

*Smooth Inside Wall Open-Profile Polyethylene (PE) Pipe and  
Polyethylene (PE) Fittings for Storm Sewers, Culverts and Soil  
Drainage*

Certificate number: **3369**  
Issue date: **2023-07-06**  
Expiry date: **2025-07-31**

**SMOOTH INSIDE WALL OPEN-PROFILE PIPES**

Diameter, mm	Class	Category	Type
300	A	R320	1
375	A	R320	1
450	A	R320	1
600	A	R320	1

The trade name of these pipes is:

- N-12 WT with watertight Bell and Spigot joining system.

R 320: Minimum Stiffness of 320 kPa, at 5 % deflection.

1: non-perforated.

**DESIGNATED FITTINGS COMPATIBLE WITH CERTIFIED PIPES**

Diameter, mm	Type	Product Code	Manufacturer
300	Watertight Integral Bell and Spigot	12650020IB+1266MGM	ADS/Hancor (A/H)
375	Watertight Integral Bell and Spigot	15850020IB+1566MGM	ADS/Hancor (A/H)
450	Watertight Integral Bell and Spigot	18850020IB+1866MGM	ADS/Hancor (A/H)
600	Watertight Integral Bell and Spigot	24650020IB+2466MGM	ADS/Hancor (A/H)

NOTE — The designated fittings are not BNQ certified fittings. However, BNQ submit designated fittings to required testing to ensure their compatibility with the certified pipes.



**Bureau de normalisation  
du Québec**

BNQ is a member of the National  
Standards System (NSS).

# ANNEX TO THE CERTIFICATE

**ADVANCED DRAINAGE SYSTEMS, INC.**

Page 2 of 2

1 William Donnelly Industrial Parkway  
Waverly, NY 14892  
USA

**BNQ 3624-120/2016-04-26**

*Smooth Inside Wall Open-Profile Polyethylene (PE) Pipe and  
Polyethylene (PE) Fittings for Storm Sewers, Culverts and Soil  
Drainage*

Certificate number: **3369**  
Issue date: **2023-07-06**  
Expiry date: **2025-07-31**

HISTORY	
Date	Description
2019-07-25	Issuance of certificate.
2021-07-21	Renewal of certificate.
2023-07-06	Renewal of certificate.